

# Change Notice

## *Heartsaver First Aid CPR AED Instructor Manual*

Print ISBN 978-1-61669-430-2, AHA Product Number 15-1023  
eBook ISBN 978-1-61669-511-8, AHA Product Number 15-3114

<b>Print Page Number</b>	<b>Location</b>	<b>Original Text</b>	<b>Change</b>	<b>When Change Was Made</b>
27	Part 3, in the section “Application for CE/CME”		{Delete all 5 paragraphs in this section and replace with the following.}  Heartsaver online courses may offer continuing education credit. Students can claim credit after they have completed the online portion of the course. Instructions for claiming credit are provided upon completion.	At next printing or update after 3/11/2016
28	Part 3, in the section “Challenge Option”		{The entire section "Challenge Option" was deleted.}	At next printing or update after 3/11/2016
46	Part 4, in the section “Understanding the Infant CPR Skills Testing Checklist” in the row “Infant Compressions,” last paragraph	<i>Tip:</i> To help students achieve adequate compression depth and to minimize fatigue, instruct them to perform chest compressions with their elbows locked and their shoulders over the manikin.	{This paragraph was deleted. Text was not reflowed from page 47.}	At next printing or update after 4/4/2016
52	Part 4, in the section “Understanding the First Aid Skills Testing Checklist,” in the row “Using the Epinephrine Pen,” under the bold heading “Script”	Demonstrate what you would do next.	You have read the manufacturer’s instructions, which state to inject for 3 seconds. Demonstrate what you would do next.	At next printing or update after 4/28/2017
52	Part 4, in the section “Understanding the First Aid Skills Testing Checklist,” in the row “Using the Epinephrine Pen,” the bold heading “Presses Epinephrine Pen Firmly...”	Presses Epinephrine Pen Firmly Against Outer Side of Thigh for 10 Seconds	Holds Leg in Place; Presses Epinephrine Pen Firmly Against Outer Side of Thigh for 3 Seconds	At next printing or update after 4/28/2017

<b>Print Page Number</b>	<b>Location</b>	<b>Original Text</b>	<b>Change</b>	<b>When Change Was Made</b>
52	Part 4, in the section “Understanding the First Aid Skills Testing Checklist,” in the row “Using the Epinephrine Pen,” under the bold heading “Holds Leg in Place...”	The student presses the epinephrine pen firmly against the outer side of the person’s thigh, halfway between the hip and knee, and holds the pen in place for about 10 seconds.	The student holds the leg firmly in place just before and during the injection. The student presses the epinephrine pen firmly against the outer side of the person’s thigh, halfway between the hip and knee, and holds the pen in place for about 3 seconds.	At next printing or update after 4/28/2017
54	Part 4, Heartsaver First Aid, First Aid Skills Testing Checklist, in the scenario just above “Using an Epinephrine Pen”	Demonstrate what you would do next.	You have read the manufacturer’s instructions, which state to inject for 3 seconds. Demonstrate what you would do next.	At next printing or update after 4/28/2017
54	Part 4, Heartsaver First Aid, First Aid Skills Testing Checklist, under “Using an Epinephrine Pen”	Presses epinephrine pen firmly against outer side of thigh for 10 seconds	Holds leg in place; presses epinephrine pen firmly against outer side of thigh for 3 seconds	At next printing or update after 4/28/2017
54	Part 4, Heartsaver First Aid, First Aid Skills Testing Checklist, at the bottom of the page	© 2016 American Heart Association	© 2017 American Heart Association	At next printing or update after 4/28/2017
Part 5: page 64	Lesson 2: First Aid Basics: Duties and Key Steps, first paragraph, second sentence under “Test: Removing Protective Gloves”	This is found in “Part 3: Testing and Remediation” in the Instructor Manual.	This is found in “Part 4: Additional Resources” in the Instructor Manual.	At next printing or update after 3/11/2016
Part 5: page 65	Lesson 2: First Aid Basics: Duties and Key Steps, first paragraph, second sentence under “Test: Finding the Problem”	This is found in “Part 3: Testing and Remediation” in the Instructor Manual.	This is found in “Part 4: Additional Resources” in the Instructor Manual.	At next printing or update after 3/11/2016
Part 5: page 68	Lesson 4: Medical Emergencies, in the third dash bullet under “Students Practice: Using an Epinephrine Pen”	Presses epinephrine pen firmly against outer side of thigh for 10 seconds	Holds leg in place; presses epinephrine pen firmly against outer side of thigh for 3 seconds	At next printing or update after 4/28/2017

<b>Print Page Number</b>	<b>Location</b>	<b>Original Text</b>	<b>Change</b>	<b>When Change Was Made</b>
Part 5: page 68	Lesson 4: Medical Emergencies, first paragraph, second sentence under “Test: Using an Epinephrine Pen”	This is found in “Part 3: Testing and Remediation” in the Instructor Manual.	This is found in “Part 4: Additional Resources” in the Instructor Manual.	At next printing or update after 3/11/2016
Part 5: page 72	Lesson 6: Injury Emergencies, first paragraph, second sentence under “Test: Controlling Bleeding and Bandaging”	This is found in “Part 3: Testing and Remediation” in the Instructor Manual.	This is found in “Part 4: Additional Resources” in the Instructor Manual.	At next printing or update after 3/11/2016
Part 6: page 23	Lesson 9: First Aid, in first dashed bullet under the second round bullet in the section “Instructor Tips”	The First Aid Skills Testing Checklist is found in “Part 3: Testing and Remediation” in the Instructor Manual.	The First Aid Skills Testing Checklist is found in “Part 4: Additional Resources” in the Instructor Manual.	At next printing or update after 3/11/2016
Part 6: page 24	Lesson 9: First Aid, in the third dash bullet under under “Students Practice: Using an Epinephrine Pen”	Presses epinephrine pen firmly against outer side of thigh for 10 seconds	Holds leg in place; presses epinephrine pen firmly against outer side of thigh for 3 seconds	At next printing or update after 4/28/2017